



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

AUG 4 - 2005

Mr. Michael J. Vincent
V.P. Operations
Immunalysis Corporation
829 Towne Center Dr.
Pomona, CA 91767

Re: k050465
Trade/Device Name: Immunalysis Cocaine Elisa Kit for Hair
Regulation Number: 21 CFR 862.3250
Regulation Name: Cocaine and cocaine metabolite test system
Regulatory Class: Class II
Product Code: DIO
Dated: June 10, 2005
Received: June 17, 2005

Dear Mr. Vincent:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

Page 2 –

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (240) 276-0484. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

A handwritten signature in cursive script that reads "Carol C. Benson".

Carol C. Benson, M.A.
Acting Director
Division of Chemistry and Toxicology
Office of *In Vitro* Diagnostic Device
Evaluation and Safety
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K050465

Device Name: **IMMUNALYSIS COCAINE ELISA KIT FOR HAIR**

Indications For Use:

"The Immunalysis Cocaine ELISA Kit for Hair test system utilizes an Enzyme Linked Immunoassay (ELISA) for the qualitative detection of cocaine in head hair samples using a cutoff of 500 pg/mg (0.5 ng/mg) of hair for the purpose of identifying chronic cocaine use. This process has not been evaluated for use with hair specimens other than head. This in vitro diagnostic device is intended for clinical laboratory use only.

The Immunalysis Cocaine ELISA Kit for Hair test system provides only a preliminary analytical test result. For confirmation of the results, presumptive positives are analyzed using a gas chromatograph - mass spectrometer operating in electron impact mode and using deuterated internal standards. Clinical and professional judgment should be applied to any drug of abuse test result, particularly when preliminary positive results are obtained."

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)


Division Sign-Off

Page 1 of 1

Office of In Vitro Diagnostic
Device Evaluation and Safety

510(k) K050465